

Jonathan Kadouch - Abstract

<p><u>Presenting Author & Affiliation</u></p> <p>Kadouch, Jonathan, Dermatologist, ReSculpt Clinic, Amsterdam, The Netherlands</p>
<p><u>Co-Authors & Affiliations (if applicable):</u></p> <p>X</p>
<p><u>Title of Poster Presentation</u></p> <p>Treatment of cellulite with Cellfina</p>
<p><u>Abstract of your presentation</u></p> <p>Affecting 85% of all women across all races, the dimpling and uneven skin texture of cellulite is a common female cosmetic concern for which no single treatment option had been proven effective over the long term.</p> <p>The dimpling appearance of the skin occurs when the dermis is tethered by perpendicularly arranged subcutaneous fibrous bands, or septae.</p> <p>A novel tissue stabilized-guided subsision system (TS-GS system) has demonstrated significant reduction in the appearance of cellulite after treatment. In a recent open-label multicenter study on the long-term effectiveness of this minimally invasive procedure, data demonstrated a treatment effect lasting up to 3 years.</p>
<p><u>References</u></p> <p>Kaminer MS, et al. A Multicenter Pivotal Study to Evaluate Tissue Stabilized-Guided Subcision Using the Cellfina Device for the Treatment of Cellulite With 3-Year Follow-Up. Dermatol Surg. 2017.</p>